


NEW starting November 2011



KRAIBURG maxiBOX - the Comfort Deep Litter Cubicle

THE NEW SYSTEM: the comfortable deep litter cubicle for safe lying comfort



► brings the pasture indoors

www.kraiburg-agri.com



► The comfortable deep litter cubicle

Consistent high comfort in the deep litter cubicle is not always easy to attain and is especially hard to maintain. The classic deep litter cubicle has to contend with problems which have negative effects on cow comfort.


Therefore, we focused our efforts on this subject and have developed a new system: the comfort deep litter cubicle "KRAIBURG maxiBOX."

The KRAIBURG maxiBOX solves the problems of the classic deep litter cubicle and offers **more comfort**:

- elastic edges in the front and in the back
- maximum lying quality
- year-round functional safety
- easier cubicle management possible
- only 3 – 5 cm littering depth required

Typical problems of the classic deep litter cubicle

painful contact with the rear curb, when lying down, as well as during lying, caused by insufficient filling level/mattress formation in the deep litter cubicle



moist, very dirty cubicles

Possible effects:

- lying times reduced by around 5 hours
- hygienic problems (udder health, flies, ...)

swollen, hairless joint because of **hard brisket boundary** and hard/moist litter

hard lying surface, because the litter slides out of place and a mattress barely forms



The solution: maxiBOX

maxiLONGLINE - rubber cover (roll):

- safe softness through a cushioned lower side profile
- surface profile conducive to mat formation
- integrated slope and drainage openings improve hygiene

only 3 – 5 cm littering depth required

10 cm concrete

maxiSTEP -

rubber profile at rear:

- comfortable lying down and lying
- integrated drainage

maxiBOARD -

rubber brisket board:

- animal-friendly and elastic
- gentle on joints

maxiBOX ▶ Comfort Deep Litter Cubicle

new system



- 3-component system consisting of rubber cover (roll) + rubber brisket board + rubber profile at rear curb

rubber cover maxiLONGLINE:

- lasting softness through a pliant and highly wear resistant air cushioned profile
- integrated slope at the rear, as well as drainage grooves and openings, facilitate liquid drainage flow
- intelligent surface profile retains litter especially well and is conducive to mat formation

profile on lower side
brings consistent softness



maxiSTEP - rubber profile at rear:

- elastic and ergonomically chamfered for comfortable lying down and lying
- litter losses are minimized
- integrated drainage for liquids
- sturdy, dimensionally stable and sure-footed

maxiSTEP
(profile at rear)



deep profiled surface
is conducive to mat
formation

beginning **layer**
formation on mat
surface

maxiBOARD - rubber brisket board:

- animal-friendly and elastic
- ideally supplements the cubicle control devices
- allows comfortable changing of lying positions
- easy to put in litter from the head space

maxiBOARD
(brisket board)



optional: maxiPROFIL – profile at side:


- application as side lying area boundary possible
- easy installation on the mat

maxiPROFIL
(profile at side)



maxiBOX ▶ **Comfort Deep Litter Cubicle****Prerequisites for the concrete surface (lying area):**

- at least a 3 % slope
- 10 cm high


Dimensions:**maxiLONGLINE:**

thickness:	length:	width:
30 mm	2.5 - 32.5 m in 10 cm steps	180 cm (custom dimensions on request)

Installation: 7 fastenings each for maxiBOARD and maxiSTEP, the maxiLONGLINE is not fastened separately

Accessory:

maxiPROFIL for covering joints, for the side lying area boundary on maxiLONGLINE, for closure at side edges, **length:** 174 cm, **installation:** 5 screws / profile

**Installation – fast and easy**

The guidelines to correct installation can be found in the installation instructions!
You will obtain these at your local KRAIBURG dealer or under www.kraiburg-agri.com.

KRAIBURG manufacturer guarantee

maxiBOX system: 10 years

More detailed information is available on request.

Tolerances

thickness: +3/-2 mm
length + width: each +/- 1.5 % (DIN ISO 3302-1 tolerance class M4)

The tolerances also apply within the mat.

Questions?

We look forward to hearing from you!
You can call us at: +49/8683/701-303
(We speak English, German and Russian)

The products presented here should only be used for the mentioned applications. Technical specifications are subject to alterations.
All sales are subject to our General Terms and Conditions. Legal basis is the German version of the document.

Your KRAIBURG dealer:

English

08/2011 - I

www.kraiburg-agri.com



Gummiwerk KRAIBURG Elastik GmbH

Göllstraße 8 • D-84529 Tittmoning • Tel: +49/86 83/701- 303 • Fax: +49/86 83/701- 190
e-mail: info@kraiburg-elastik.de • www.kraiburg-agri.com