
KIM

ca. 3 cm – air cushion profile - flexible and robust

Young cattle Dairy cattle Calves Fattening cattle

Soft yet robust

The KIM lying mat focuses on robustness and flexibility. The 3 cm thick mat with an air cushion profile on the lower side allows cows to be comfortable while lying. It has gained popularity due to a wide range of dimensions that meet the requirements of young cattle and dairy cattle free stalls as well as lying areas for calves and fattening bulls. For fattening bulls and calves, we recommend the LongLine option (continuous roll system), as it can be installed irrespective of the divider division and gradually "grows" with the animal.



- **Proven, low maintenance pebbled surface**
- **Chamfer on the rear edge: protects joints, no stumbling edge**
- **Integrated slope to the rear edge helps keep the surface dry**
- **Also available in XL lying length for more freedom when lying, lying down and getting up**
- **DIN class 2**

DLG FOKUS TEST 10/10 Verformbarkeit/Elastizität, Dauertrittbelastung

DLG FOKUS TEST 11/13 BTS-Rindvieh (weibliche Tiere)

DLG GUMMIWERK KRAIBURG ELASTIK GMBH KIM LONGLINE ✓ BTS Rindvieh (männliche Tiere) DLG-Zertifikat 6990

The options

KIM (straight edge)

KIM

ca. 3 cm – air cushion profile - flexible and robust

Young cattle **Dairy cattle** **Calves** **Fattening cattle**



KIM single mats are installed edge to edge and fixed at the front edge at the prefabricated fixing points. Optionally, an intermediate connecting bar (KK connecting bar) can be used to bridge joints between mats (e. g. in the case of mushroom dividers or very fine bedding) or as a side closure. Our brisket boards can also be added as accessories.

- **Air cushion profile**
- **Quick and easy installation**
- **Suitable for suspended dividers and mushroom dividers**

Technical data

Dimensions (mm / cm)	Thickness	Width	Length
KIM (single mat with straight edge)	ca. 3 cm	110 / 115 / 120 / 125 cm	170 / 183 cm
		130 cm	183 cm

Dimensions (in / ft)	Thickness	Width	Length
KIM (single mat with straight edge)	ca. 1 ¼"	43 ¼ / 45 ¼ / 47 ¼ / 49 ¼"	67 / 72"
		51 ¼"	72"

Optional accessories: KK connecting bar		Width	Length
Closure of gaps of up to 4 - 8 cm / 1 ⅝ - 3 ¼" in width	(e.g. with mushroom dividers or very fine bedding) or as a side closure	13 cm	165 / 180 cm
		5 ⅛"	65 / 71"

Optional accessories: Brisket boards

Elastic brisket board ergoBOARD
Go to the product

Robust brisket board maxiBOARD
Go to the product

Installation and fixing

Mats are laid edge to edge.
Installation instructions

Installation and fixing


Fixing at the head edge Prefabricated fixing points facilitate installation.

Maintenance tip

Cover lying mats lightly with bedding e.g. soft milled straw or mineral materials (moisture in the lying area can cause various conditions, including skin diseases and infections)

Treatment with a high-pressure cleaner and standard cleaning agents possible.

KIM Puzzle



KIM Puzzle mats interlock by means of a precise puzzle interlock system and are fixed at the front edge at the prefabricated fixing points. This results in a virtually jointless lying mattress. Optionally, our brisket boards can be added as accessories.

- **Air cushion profile**
- **Single mat with puzzle interlock system - for virtually jointless mattress**
- **Suitable for suspended dividers and mushroom dividers**

Technical data

Dimensions (mm / cm)	Thickness	Width	Length
KIM Puzzle	ca. 3 cm	110 / 120 cm	170 / 183 cm
		125 cm	183 cm

Dimensions (in / ft)	Thickness	Width	Length
KIM Puzzle	ca. 1 ¼"	43 ¼ / 47 ¼"	67 / 72"
		49 ¼"	72"

Optional accessories: Brisket boards

Elastic brisket board ergoBOARD
Go to the product

Optional accessories: Brisket boards

Robust brisket board maxiBOARD
Go to the product

Installation and fixing

Mats are laid interlocked.
Installation instructions


Fixing at the head edge Prefabricated fixing points facilitate installation.

Maintenance tip

Cover lying mats lightly with bedding e.g. soft milled straw or mineral materials (moisture in the lying area can cause various conditions, including skin diseases and infections)

Treatment with a high-pressure cleaner and standard cleaning agents possible.

KIM LongLine



The KIM LongLine option (continuous roll system) is available in lengths of up to 50 meters. The width dimensions range from 160 cm to 192 cm. This enables its use on both slightly shorter and very long lying areas. We recommend this option in particular for fattening cattle and calves, as it can be installed irrespective of the divider division and gradually "grows" with the animal.

- **Air cushion profile**
- **Jointless continuous roll system**
- **Suitable for suspended dividers and mushroom dividers**
- **Also available in XL lying length for more freedom when lying, lying down and getting up**

Technical data

Dimensions (mm / cm)	Thickness	Length	Width
KIM LongLine	ca. 3 cm	2.5 - 50 m (in 10-cm increments)	160 / 170 / 180 / 192 cm

Dimensions (in / ft)	Thickness	Length	Width
KIM LongLine	ca. 1 ¼"	8 ½ - 164' (in 4" increments)	63 / 67 / 71 / 75 ⅝"

Optional accessories: Brisket boards

Elastic brisket board ergoBOARD
Go to the product

Robust brisket board maxiBOARD
Go to the product

Installation and fixing

Fixing at the head edge Prefabricated fixing points facilitate installation.
Installation instructions

Maintenance tip

Cover lying mats lightly with bedding e.g. soft milled straw or mineral materials (moisture in the lying area can cause various conditions, including skin diseases and infections)

Treatment with a high-pressure cleaner and standard cleaning agents possible.

KRAIBURG warranty
10 years
(Only for exclusive use as a lying area, no combination, e. g. feeding + lying)
Detailed information on our warranty (with consideration of the service life) is available upon request from your contractual partner / dealer.

Tolerances
Width + length: +/– 1.5% (DIN ISO 3302–1 tolerance class M4)

Please refer to the relevant KRAIBURG specifications and installation instructions, which provide valuable hints and tips.

The products featured here are exclusively intended for the demonstrated applications. Technical details subject to change. Our General Terms and Conditions apply. Legal basis is the German version of the document.

***Note on imperial measurements:** Our products are manufactured according to metric specifications. The imperial measurements are therefore only intended as a guide. Inaccuracies may occur due to conversion and rounding.*

***Maintenance and usage instructions:** Our flooring for cattle husbandry has been tested under defined conditions for its slip resistance. However, the actual slip resistance in practical use depends on the relevant environmental and usage conditions. Especially moisture, dirt, mud, ice or snow, the slope, the condition of the ground and wear or damage can adversely affect performance characteristics. Individual factors such as health status, physical condition and exercise habits of the animals also affect slip resistance. Surfaces must therefore be checked regularly according to the relevant usage conditions, maintained and kept in proper condition. Further technical details on request.*